



# Supplies & Accessories





Label cutter



Instrument products



Others

## **Graphtec Supplies & Accessories**

Cutting plotter	1. Cutting blade	11. Pouncing tool
51	2. Cutting blade holder	12. Creasing / Scoring tool
	3. Pen adapter	13. Loupe
	4. Life time of CB09 series	14. Water-based fiber-tip pen
	5. Blade type and typical application	15. Water-based fiber-tip pen holder
	6. Blade and the corresponding holder List	16. Oil-based ballpoint pen
	7. Cutting mat	17. Oil-based ballpoint pen holder
	8. Protect sheet	18. Push roller
	9. Adsorption mat	19. Rubbing Protection Tape
	10. Cross cutter blade	
Instrument products	1. Cable	4. Recording Paper (Z-fold paper)
·	2. Shunt resistor	5. Recording pen
	3. Recording paper (Roll paper)	
Label cutter	1. Paper core	
DLC1000	2. Cutter blade	
DECIDOO	3. Cutter blade holder	
	4. Cutting mat	
	5. Loupe	
Others	1. Scanners	
	2. Auto feeder	

\*: Model numbers are switched to the new ones as soon as the stocks with the old model numbers run out.

 $\ast$  :Availability of items could vary depending on the regions.

## **Cutting plotter**

Supported product CE6000Plus / CE6000 / CE7000 / FC8600 / FC9000 / CE LITE-50 / FC4500 / FC2250 / FCX2000 / FCX4000

 1. Cutting blade
 2. Cutting blade holder
 3. Pen adapter
 4. Blade type and typical application
 5. Blade and the corresponding holder List

 Published item
 6. Cutting mat
 7. Protect sheet
 8. Adsorption mat
 9. Cross cutter blade
 10. Pouncing tool
 11. Creasing / Scoring tool
 12. Loupe

 13. Water-based fiber-tip pen
 14. Water-based fiber-tip pen holder
 15. Oil-based ballpoint pen
 16. Oil-based ballpoint pen holder

Supported product

#### 1. Cutting blade

lade				Grit	rolling					d type	
			Ω				F	F			
Model No.	Description	Package	E LITE-50	E6000 E6000PLUS	E7000	C8600	0000	C4500	CX4000	C2250	FCX2000
CB09-L	Blade, 0.9 mm diameter. Angle 45° Life : less 2km (Paper), less 3km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
СВ09-Е	Blade, 0.9 mm diameter. Angle 45° Life : 2-3km (Paper), 5km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
CB09UB-5	Blade, 0.9 mm diameter. Angle 45° Life : 4-5km (Paper), 10-12km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
CB09-P	Blade, 0.9 mm diameter. Angle 45° Life : 7-8km (Paper), 28-30km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
CB09UB-K60-5	Blade, 0.9 mm diameter. Angle 60° For tint film, car protection film, 0.03 mm to 0.25 mm thick	5blades/pack		•	•	•	•				
CB15U-5	Blade, 1.5 mm diameter. Angle 45° For heavy paper/board, 0.25 mm to 0.5 mm thick	5blades/pack		•	•	•	•	•	•	•	•
CB15U-K30-5	Blade, 1.5 mm diameter. Angle 30° For heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast, 0.25 mm to 1.1 mm thick	5blades/pack		•	•	•	•	•	•	•	•
CB15UA-5	Blade, 1.5 mm diameter. Angle 45° For high-intensity reflective film (3M Engineer Grade), up to 0.5 mm thick	5blades/pack				•	•	•	•	•	•
CB15UA-K30-5	Blade, 1.5 mm diameter. Angle 30° For high-intensity reflective film (3M Diamond Grade), up to 1.0 mm thick	5blades/pack				•	•	•	•	•	•
CB30UC-1	Blade, 3.0 mm diameter. Angle 45° For cardboard and corrugated board (E,F,G flute), up to 2.0 mm thick	1blade/pack								•	•
РМ-СВ-001	Blade, 3.0 mm diameter. Angle 30° For plastic corrugated board, 1.0 mm to 3.0 mm thick	2blades/pack									٠
PM-BS-001	Blade for normal media (film, paper, others)	1pc/pack	•								
PM-BS-002	Blade for thick media (soft rubber, polyurethane sheet, up to 1 mm)	1pc/pack	•								
	Model No. CB09-L CB09-E CB09UB-S CB09UB-S CB09UB-K60-S CB15U-S CB15U-S CB15U-S CB15U-K30-S CB15UA-S CB15U	Model No.       Description         CB09-L       Blade, 0.9 mm diameter. Angle 45°         Life : less 2km (Paper), less 3km (Vinyl)         CB09-E       Blade, 0.9 mm diameter. Angle 45°         Life : 2-3km (Paper), Skm (Vinyl)         CB09-E       Blade, 0.9 mm diameter. Angle 45°         Life : 2-3km (Paper), 5km (Vinyl)         CB09UB-5       Blade, 0.9 mm diameter. Angle 45°         Life : 4-5km (Paper), 10-12km (Vinyl)         CB09UB-K60-5       Blade, 0.9 mm diameter. Angle 45°         CB09UB-K60-5       Blade, 0.9 mm diameter. Angle 60°         For tint film, car protection film, 0.03 mm to 0.25 mm thick       0.03 mm to 0.25 mm thick         CB15U-5       Blade, 1.5 mm diameter. Angle 30°         For heay paper/board, 0.25 mm to 1.1 mm thick       0.25 mm to 1.1 mm thick         CB15U-4.50       Blade, 1.5 mm diameter. Angle 45°         For high-intensity reflective film (3M Eqpineer Grade), up to 0.5 mm thick       0.25 mm to 1.1 mm thick         CB15UA-5       Blade, 1.5 mm diameter. Angle 30°         For high-intensity reflective film (3M Diamond Grade), up to 0.5 mm thick       0.25 mm to 0.5 mm thick         CB30UC-1       Blade, 3.0 mm diameter. Angle 45°         For adboard and corrugated board (EF,G flute), up to 2.0 mm thick       0.2 mm diameter. Angle 30°         For high-intensity reflective film (3M Diamond	Model No.       Description       Package         CB09-L       Blade, 0.9 nm diameter. Angle 45° Life : less 2km (Paper), less 3km (Vinyl)       Sblades/pack Life : 2-3 km (Paper), less 3km (Vinyl)         CB09-E       Blade, 0.9 nm diameter. Angle 45° Life : 2-3 km (Paper), 5km (Vinyl)       Sblades/pack Life : 2-3 km (Paper), 5km (Vinyl)         CB09UB-5       Blade, 0.9 nm diameter. Angle 45° Life : 2-3 km (Paper), 10-12 km (Vinyl)       Sblades/pack Life : 7-8 km (Paper), 28-30 km (Vinyl)         CB09UB-5       Blade, 0.9 nm diameter. Angle 45° CB09UB-6       Sblades/pack Life : 7-8 km (Paper), 28-30 km (Vinyl)         CB09UB-6       Blade, 0.9 nm diameter. Angle 45° Cor int film, car protection film, 0.03 nm to 0.25 nm thick       Sblades/pack 202 nm to 0.25 nm thick         CB15U-5       Blade, 1.5 nm diameter. Angle 45° For heavy paper/board, 0.03 nm to 0.25 nm thick       Sblades/pack 202 nm to 10 nm thick         CB15U-43.0-5       Blade, 1.5 nm diameter. Angle 45° For heavy paper/board, 0.03 nm to 0.25 nm thick       Sblades/pack 202 nm to 10 nm thick         CB15UA-5       Blade, 1.5 nm diameter. Angle 45° For high-intensity reflective film (3M Diamond Grade), up to 0.5 nm thick       Sblades/pack 202 nm to 11 nm thick         CB15UA-5       Blade, 1.5 nm diameter. Angle 45° For high-intensity reflective film (3M Diamond Grade), up to 0.5 nm thick       Sblades/pack 202 nm thick         CB30UC-1       Blade, 30 nm diameter. Angle 45° For plastic corrugated board (EF,G flute), 10 mm to 30 nm thick       Life/pack 201 nm t	Model No.     Description     Package     Peckage       CB09-L     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-E     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-E     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-E     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-P     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-P     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09-P     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB09UB-K60-S     Blade, 0.9 mm diameter. Angle 45°     Sblades/pack     Clades/pack       CB15U-S     Por tint film, carportection film, carpotection film,	Model No.       Description       Package       Image: space s	Model No.       Description       Package       E <the< th="">       E       <the< th="">       E<td>Image: constraint of the second se</td><td>Model No.       Description       Package       Fit       Solides/pack (Fit       Solides</td><td>Model No.         Description         Package         Fill         Statute         Statut         Statute         Statute</td><td>Index (P)         Cert (Control (C</td><td>Model No.         Description         Package         Failed State         Sta</td></the<></the<>	Image: constraint of the second se	Model No.       Description       Package       Fit       Solides/pack (Fit       Solides	Model No.         Description         Package         Fill         Statute         Statut         Statute         Statute	Index (P)         Cert (Control (C	Model No.         Description         Package         Failed State         Sta

2. Cutting l	olade holder						Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PHP33-CB09N-HS	Blade holder for CB09U series blade with plastic tip	1pc/pack		•	•	•	•	•	•	•	•
	PHP33-CB15N-HS	Blade holder for CB15U series blade with plastic tip	1pc/pack		•	•	•	•	•	•	•	•
-	PM-CH-001	Blade holder for CB30UC/PM-CB-001 cutting blade	1pc/pack								•	•
	РНР35-СВ09-НS	Blade holder for CB09U series blade with metal tip	1pc/pack				•	•	•	•	•	•
	РНР35-СВ15-НS	Blade holder for CB15U series blade with metal tip	1pc/pack				•	•	•	•	•	•
											• : Av	/ailable

3. Pen adap	ter						Supp	orted p	roduct			
					Grit	rolling	ı type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
000	PM-BH-001	Pen adapter for commercially available fiber-tip or ballpoint pen	1set/pack	•								

#### 4. Life time of CB09 series

ltem	Model No.			
	CR00 I	Paper	Less 2km	
	CB09-L	Vinyl	Less 3km	
	СВ09-Е	Paper	2-3km	
	СВ09-Е	Vinyl	5km	
	CB09UB-5	Paper	4-5km	
	CB090B-5	Vinyl	10-12km	
	СВ09-Р	Paper	7-8km	
	CDU3-P	Vinyl	· · · · · · · · · · · · · · · · · · ·	28-30km

#### 5. Blade type and typical application

	e and typical application					Supp	orted pr	oduct I	
We offer several ©: Best solution •: Available	l high-quality blade for each ma n	terial so that it can b	e used in a variety of app	olications.	Gr	it rolling t	ype	Flatbe	ed type
ltem	Model No.	Self-adhesive marking film (vinyl, fluorescent, reflective), Paper, Heat transfer media					CE LITE-50	FCX2000	FCX4000
	CB09 series	φ0.9mm	45°	(vinyl, fluorescent, reflective),	0	0		•	•
	СВО9UB-К60-5	· · · · · · · · · · · · · · · · · · ·	60°	Tint film, Car protection film [Thickness] up to 0.25mm	•	0			
_	CB15U-5		45°	Heavy paper/board [Thickness] up to 0.5mm	•	•		O	Ø
	СВ15U-К30-5		30°	Heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast [Thickness] up to 1.1mm	Ø	•		•	•
	CB15UA-5	— φ1.5mm	45°	High intensity reflective film (3M Engineer Grade) [Thickness] up to 0.5mm		Ø		•	•
	CB15UA-K30-5		30°	High intensity reflective film (3M Diamond Grade) [Thickness] up to 1.0mm		O		•	•
	свзоис-1		45°	Cardboard, Corrugated board (E,F,G flute) [Thickness] up to 2.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				Ø	
	PM-CB-001	— φ3.0mm	30°	Plastic corrugated board [Thickness] 1.0 ~ 3.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				0	

6. Blade a	nd the corresponding	holder List			Supported holder		
• : Available			PHP33- CB09N-HS Spring built-in type	PHP35- CB09-HS Spring built-in type	PHP33- CB15N-HS Spring built-in type	PHP35- CB15-HS Spring built-in type	РМ-СН-001
Blade					-		-
Diameter	Item	Model No.					
φ0.9mm		CB09 series	•	•			
φοισπη		CB09UB-K60-5	•	•			
		CB15U-5			•	•	
φ1.5mm		CB15U-K30-5			•	•	
ψι.эππ		CB15UA-5			•	•	
		CB15UA-K30-5			•	•	
φ3.0mm		CB30UC-1					•
(*1)		PM-CB-001					•

(\*1) Cutting accuracy is not guaranteed. Be sure to try it before using it.

7. Cutting n	nat				Grit	rolling		orted p	roduct		d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
$\bigcirc$	PM-CR-001	Cutting mat for CE LITE-50	1pc/pack	•								
	CE6-CM40-2	Cutting mat for CE6000-40/PLUS	2pcs/pack		•							
	CE6-CM60-2	Cutting mat for CE6000-60/PLUS	2pcs/pack		•							
	CE6-CM120-2	Cutting mat for CE6000-120/PLUS	2pcs/pack		•							
	U621390470	Cutting mat for FC8600-60	1pc/pack				•					
	U621261470	Cutting mat for FC8600-75	1pc/pack				•					
$\frown$	U621271470	Cutting mat for FC8600-100	1pc/pack				•					
	U621281470	Cutting mat for FC8600-130	1pc/pack				•					
	U621291470	Cutting mat for FC8600-160	1pc/pack				•					
	U621399900	Cutting mat for FC8600	1roll/pack				•					
	PM-CR-005	Cutting mat for FC9000-75	2pcs/pack					•				
	PM-CR-006	Cutting mat for FC9000-100	2pcs/pack					•				
	PM-CR-007	Cutting mat for FC9000-140	2pcs/pack					•				
$\bigcirc$	PM-CR-008	Cutting mat for FC9000-160	2pcs/pack					•				
	PM-CR-009	Cutting mat for CE7000-40	2pcs/pack			•						
	PM-CR-010	Cutting mat for CE7000-60	2pcs/pack			•						
	PM-CR-011	Cutting mat for CE7000-130/130AP	2pcs/pack			•						
	PM-CR-012	Cutting mat for CE7000-160	2pcs/pack			•						

8. Prote	ect sheet						Suppo	orted p	roduct			
				Supported product           Flatbed typ           FC CFI TOILING TYPE         FC 4500 C           CE         CF 7000         CO         CO <th>d type</th> <th></th>				d type				
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-002A	Writing panel protect sheet (for FCX4000-50ES)	1sheet/pack							•		
	PM-CR-003A	Writing panel protect sheet (for FCX4000-60ES)	1sheet/pack							•		
	PM-CR-004A	Writing panel protect sheet (for FCX2000-120ES)	1sheet/pack									•

9. Adsorpt	ion mat				Supported product Grit rolling type Flatbed t							
· · ·					Grit	rolling	ı type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
a second	CM-0003-R1A	Double-side coated roll, size 545 mm x 20 m, for plastic materials	1roll/pack						•	•	•	•
	PM-CM-001	Cling mat for film based type material, size 660 mm x 488 mm	2sheets/pack							•	•	•
	PM-CM-002	Cling mat for creasing, size 660 mm x 488 mm	2sheets/pack							•	•	•
7	PM-CM-003A	Carrier sheet for media without backing paper Supported media size: 330mm x 483mm * Please consider to use with optional carrier sheet table "OPH-A45" for CE7000-40/60.	1sheet/pack	٠	•	•						

10. Cros	s cutter blade						Supp	orted p	roduct			
					Grit rolling type         Flatbed type           CF LITE-50         CF 7000           V 1000         PC 8000           PC 8000         PC 8000           PC 8000				d type			
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
7	СТОІН	Cross cutter blade, Standard type	1pc/pack				•					
17	СТО2U	Cross cutter blade, High durability type	1pc/pack				•					
	PM-CC-002	Cross cutter blade, Super steel type	1pc/pack					•				
											• : Av	/aila

11. Pounc	ing tool						Suppo	orted p	roduct			
	-				Grit rolling type Flatbed type							
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
-	РРАЗЗ-ТР12	Steel pin 1.2 mm diameter	1pc/pack				•	•				

12. Crea	sing / Scoring	tool					Supp	orted p	roduct			
	<u> </u>				Grit	rolling	ı type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	PCX2000
	CP-001	Stick type creasing tool, for heavy paper	1pc/pack						•	•	•	
	CP-002	Roller type creasing tool (R0.2 mm), for heavy paper	1pc/pack								•	
	CP-003	Roller type creasing tool (R0.6 mm), for cardboard	1pc/pack								•	
	PM-CT-002	Ball on tip of stick creasing tool, for curve line on heavy paper	1pc/pack							•	•	

13. Loupe	I.						Supp	orted p	roduct			
-					Grit	rolling	ı type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CT-001	Loupe for checking blade length, for PHP33 and PHP35 series	1pc/pack		•	•	•	•	•	•	•	•

14. Water-ł	based fiber-	tip pen					Supp	orted p	roduct			
		••			Grit	rolling	type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
And the second of	KF700-BK	Pen, Black	10pens/pack		•	٠	•	•		•	•	•
Approximation (	KF700-RD	Pen, Red	10pens/pack		•	٠	•	•		•	•	•

15. Water-ł	based fiber-t	ip pen holder					Supp	orted p	roduct			
		••			Grit	rolling	type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2 000
#8 ⊂≈ • ø	PHP31-FIBER	Pen holder for KF700 series pen	1set/pack		•	•	•	•		•	•	•

• : Available

ed ballpoint	pen					Supp	orted p	roduct			
-	•			Grit	rolling	type			Flatbe	ed type	
Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
КВ700-ВК	Pen, Black	10pens/pack		•	•	•	•	•	•	•	•
	- Model No.		Model No. Description Package	Model No.     Description     Package     CF 000 F     CF 0000 F     CF 000 F     C	Model No.         Description         Package         Image: Control ing type         Image: Control	Model No.         Description         Package         Image: Figure 100 and	Model No.         Description         Package         Image: Figure 10 minipage         Image: Figure 10 minipage <thimage: 10="" figure="" minipage<="" th="">         Image: F</thimage:>	Model No.         Description         Package         Image: Figure Fig			

17. Oil-base	ed ballpoint	pen holder					Suppo	orted p	roduct			
	-	-			Grit	rolling	type			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PHP34-BALL	Pen holder for KB700-BK	1set/pack		•	•	•	•	•	•	•	•
											• : Av	vailable

18. Push	roller						Supp	orted p	roduct			
					Grit	rolling	j type			Flatbo	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
Ó	U792900970	Push Rollers for CE6/CE7/FC86/FC9	10pcs/pack		•	•	•	•				
Ó,	∠ U792900900	Push Roller with snap pin for CE6/CE7/FC86/FC9	1set/pack		•	•	•	•				

19. Rubbi	ing Protection	Таре					Supp	orted p	roduct			
	-	-			Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000 CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
Q	U792999800	Rubbing Protection Tape for front guide, 19mm x 10M	1roll/pack				•	•				

#### **Instrument products**

Supported product GL7000 Plus / GL900 series / GL980 / GL2000 / GL240 series / GL840 / GL100 series / MT100 / WR3320A series / DP-581H

1. Cable 2. Shunt resistor 3. Recording paper (Roll paper) 4. Recording Paper (Z-fold paper) 5. Recording pen Published item

#### 1. Cable

tem	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	
6	RIC-142	lnput cable, 1.5m length, 1000 VDC Voltage, CAT II (600V - CATIII)	1pc/pack	•*	•	•	•								T	т	
0	RIC-143	Input cable, 1.6m length, 600 VDC Voltage, CAT II (300V・CATIII),Banana-BNC	1pc/pack	•*	•	•	•										
	RIC-144A	Clip,11mm Aperture, 300VDC Voltage, CAT II , 15A Power consumption, Cable (Optional)	One Set (Red/Black)			or 43/147											
	RIC-145	Clip,20mm Aperture,1000 VDC Voltage, CAT II , 32A Power consumption, Cable (Optional)	One Set (Red/Black)			or 43/147											
	RIC-146	Clip,5mm Aperture,1000 VDC Voltage, CATIII, 1A Power consumption, Cable (Optional)	One Set (Red/Black)		F RIC-14	or 43/147											
Œ	RIC-147	Input cable, 1.6m length, 1000 VDC Voltage, CAT II	One Set	•*	•	•	•										
	SMA-102	Input terminal adapter	1pc/pack	•*	•	•	•										

Supported product

2. Shunt r	resistor								Sup	porte	d pro	duct					
ltem	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
	B-551	Shunt resistor,250 ohms 0.1% (it converts the signal to the "1-5V" from the "4-20mA"),1W Power consumption, 15.8V Max. voltage	1pc/pack	•*	•	•	•	•	•	•	•	•	•	•	•	•	

\* This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

3. Recording	g paper (Rol	l paper)							Sup	porte	d pro	duct					
Item	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	
•	PR410-2B-R5A	Thermal paper, Black, 40 mm x 2 ch, 100 m length	5rolls/pack										•		-	-	
	PR412-4B-R5A	Thermal paper, Black, 40 mm x 4 ch, 100 m length	5rolls/pack											•			
	PR420-1B-R5A	Thermal paper, Black, 80 mm x 2 ch, 100 m length	5rolls/pack												•		
	PR-210X30	Thermal paper, Black, 200 mm x 1 ch 30 m length	6rolls/pack														
	PR230-R5A	Chart paper, Roll, Black, 110 mm x 40 m, WR300	5rolls/pack														
	PR231A-R10A	Chart paper, Roll, Black, 210 mm x 40 m, WR300 series 8&16-ch	10rolls/pack														
	PR413-6B-R5A	Chart paper, Roll, 40 mm x 6 ch, 100 m, WR3320-6	5rolls/pack														
										1		1				• : Av	aila

. Recordi	ng Paper (Z-f	old paper)							Sup	porte	d pro	duct				
m	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH
	PZ410-2B-R5A	Thermal paper, Black, 40 mm x 2 ch 100 m length	5pcs/pack										•			
	PZ412-4B-R5A	Thermal paper, Black, 40 mm x 4 ch 100 m length	5pcs/pack											•		
	PZ420-1B-R5A	Thermal paper, Black, 80 mm x 1 ch 100 m length	5pcs/pack												•	
	PZ422-2B-R5A	Thermal paper, Black, 80 mm x 2 ch 100 m length	5pcs/pack													•
	PZ230-R5A	Chart paper, Z-fold, 110 mm x 40 m, WR300	5pcs/pack													
	PZ231A-R5A	Chart paper, Z-fold, 210 mm x 100 m, WR1000, WR8500, WR300	5pcs/pack													
	PZ233-R5A	Chart paper, Z-fold, Black, 210 mm x 40m, WR300 series 8&16-ch	5pcs/pack													
	PZ414-8B-R5A	Chart paper, Z-fold, 40 mm x 8 ch, 100 m, WR3320-8	5pcs/pack													
	PZ424-4B-R5A	Chart paper, Z-fold, 80 mm x 4 ch, 100 m, WR3320-4D	5pcs/pack													

5. Recording pen Supported product WR3320A-2DH DP-581H GL840 series WR3320A-2H WR3320A-1DH GL980 GL7000 Plus GL900 series GL2000 GLT400 GL100 series MT100 WR3320A-4H GL240 series ltem Model No. Description Package КТ203 • • • Event marker pen 1pen/pack • 1 КТ209 • • • • Time marker pen 1pen/pack 1

## Digital label cutter DLC1000

Supported product DLC1000

Published item 1. Paper core 2. Cutter blade 3. Cutter blade holder 4. Cutting mat 5. Loupe

1. Paper co	Supported product			
Item	Model No.	Description	Package	DLC1000
	DLC-2270R-1CORE-R5	DLC Paper Core 1in×8.93in (227mm)	5cores/box	٠
	PZ-WC-012	DLC Paper Core 3in×8.50in (216mm)	5cores/box	٠

2. Cutter blade				Supported product
ltem	Model No.	Description	Package	DLC1000
	СВ09-Р	Blade, 0.9 mm diameter. Angle 45°	5blades/pack	٠
	CB15U-5	Blade, 1.5 mm diameter. Angle 45°	5blades/pack	٠

• : Available

Item Model No. Description	Package	DLC1000
PHP33-CB09N-HS         Blade holder for CB09U series blade           with plastic tip	1pc/pack	•
PHP33-CB15N-HS         Blade holder for CB15U series blade           with plastic tip	1pc/pack	٠

• : Available

4. Cutting mat			Supported product	
Item	Model No.	Description	Package	DLC1000
	CE6-CM40-2	Cutting mat for CE6000-40/PLUS	2pcs/pack	•

5. Loupe				Supported product
ltem	Model No.	Description	Package	DLC1000
C	PM-CT-001	Loupe for checking blade length, for PHP33 and PHP35 series	1pc/pack	٠

### **Others**

Supported product	1. Scanners 2. Auto feeder		
1. Scanners			

Supported product

CSX500

#### **Calibration sheet** Supported product CSX500 Model No. Item Description Package IS0932 • Calibration sheet for CSX500 series 1pc/pack

• : Available

Carrier sheet				Supported product
ltem	Model No.	Description	Package	CSX500
	IS0908	Carrier sheet A1 (596 mm x 860 m)	1pc/pack	٠
	IS0922	Carrier sheet A0 (896 mm x 1250 m)	1pc/pack	٠
				• : Available

## 2. Auto feeder

F-MARK / F-MARK2 Supported product

Suction cups				Supported product
ltem	Model No.	Description	Package	F-MARK / F-MARK2
80	U797000027	Suction cups	2pcs/pack	٠
				• • •